

PublisherInfo		
PublisherName	:	BioMed Central
PublisherLocation	:	London
PublisherImprintName	:	BioMed Central

## Articles selected in January 2005

ArticleInfo		
ArticleID	:	1006
ArticleDOI	:	10.1186/bcr1008
ArticleCitationID	:	E4
ArticleSequenceNumber	:	21
ArticleCategory	:	Article selection
ArticleFirstPage	:	1
ArticleLastPage	:	3
ArticleHistory	:	RegistrationDate : 2005-2-15 OnlineDate : 2005-2-15
ArticleCopyright	:	The Author(s)2005
ArticleContext	:	130587722

Adrian Lee,<sup>Aff1</sup>

Corresponding Affiliation: Aff1

Email: alee@breastcenter.tmc.edu

---

Aff1 Breast Center, Baylor College of Medicine and the Methodist  
Hospital, Houston, Texas, USA

---

## Articles selected

### References

1. Howell A, Cuzick J, Baum M, Buzdar A, Dowsett M, Forbes JF, Hocht-Boes G, Houghton J, Locker GY, Tobias JS, ATAC Trialists' Group: Results of the ATAC (Arimidex, Tamoxifen, Alone or in Combination) trial after completion of 5 years' adjuvant treatment for breast cancer. *Lancet*. 2005, 365: 60-62. [[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15639680](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15639680)]
2. Al-Kuraya K, Schraml P, Torhorst J, Tapia C, Zaharieva B, Novotny H, Spichtin H, Maurer R, Mirlacher M, Köchli O, et al: Prognostic relevance of gene amplifications and coamplifications in breast cancer. *Cancer Research*. 2004, 64: 8534-8540. [[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15574759](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15574759)]
3. Gold B, Kalush F, Bergeron J, Scott K, Mitra N, Wilson K, Ellis N, Huang H, Chen M, Lippert R, et al: Estrogen receptor genotypes and haplotypes associated with breast cancer risk. *Cancer Research*. 2004, 64: 8891-8900. [[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15604249](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15604249)]
4. Minn AJ, Kang Y, Serganova I, Gupta GP, Giri DD, Doubrovin M, Ponomarev V, Gerald WL, Blasberg R, Massague J: Distinct organ-specific metastatic potential of individual breast cancer cells and primary tumors. *J Clin Invest*. 2005, 115: 44-55. [[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15630443](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15630443)]

5. Clarke RB, Spence K, Anderson E, Howell A, Okano H, Potten CS: A putative human breast stem cell population is enriched for steroid receptor-positive cells. *Dev Biol.* 2005, 277: 443-456.

[[http://www.ncbi.nlm.nih.gov/entrez/  
query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15617686](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15617686)]

6. Missmer SA, Eliassen AH, Barbieri RL, Hankinson SE: Endogenous estrogen, androgen, and progesterone concentrations and breast cancer risk among postmenopausal women. *J Natl Cancer Inst.* 2004, 96: 1856-1865. [[http://www.ncbi.nlm.nih.gov/entrez/  
query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15601642](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15601642)]