

PublisherInfo		
PublisherName	:	BioMed Central
PublisherLocation	:	London
PublisherImprintName	:	BioMed Central

Articles selected in September 2004

ArticleInfo		
ArticleID	:	944
ArticleDOI	:	10.1186/bcr955
ArticleCitationID	:	E17
ArticleSequenceNumber	:	20
ArticleCategory	:	Article selection
ArticleFirstPage	:	1
ArticleLastPage	:	3
ArticleHistory	:	RegistrationDate : 2004-10-15 OnlineDate : 2004-10-15
ArticleCopyright	:	The Author(s)2004
ArticleContext	:	130586666

Valerie Speirs, ^{Aff1}

Corresponding Affiliation: ^{Aff1}

Email: v.speirs@leeds.ac.uk

^{Aff1} Molecular Medicine Unit, University of Leeds, St James's University
Hospital, Leeds LS9 7TF, UK

Articles selected from PubMed

References

1. Salatino M, Schillaci R, Proietti CJ, Carnevale R, Frahm I, Molinolo AA, Iribarren A, Charreau EH, Elizalde PV: Inhibition of in vivo breast cancer growth by antisense oligodeoxynucleotides to type I insulin-like growth factor receptor mRNA involves inactivation of ErbBs, PI-3K/Akt and p42/p44 MAPK signaling pathways but not modulation of progesterone receptor activity. *Oncogene*. 2004, 23: 5161-5174. [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15122317]
2. Biswas DK, Shi Q, Baily S, Strickland I, Ghosh S, Pardee AB, Iglehart JD: NF-kappa B activation in human breast cancer specimens and its role in cell proliferation and apoptosis. *Proc Natl Acad Sci USA*. 2004, 101: 10137-10142. [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15220474]
3. Fox SB, Braganca J, Turley H, Campo L, Han C, Gatter KC, Bhattacharya S, Harris AL: CITED4 inhibits hypoxia-activated transcription in cancer cells, and its cytoplasmic location in breast cancer is associated with elevated expression of tumor cell hypoxia-inducible factor 1alpha. *Cancer Res*. 2004, 64: 6075-6081. [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15342390]
4. Eckert LB, Repasky GA, Ulku AS, McFall A, Zhou H, Sartor CI, Der CJ: Involvement of Ras activation in human breast cancer cell signaling, invasion, and anoikis. *Cancer Res*. 2004, 64:

4585-4592. [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15231670]

5. Nagata Y, Lan KH, Zhou X, Tan M, Esteva FJ, Sahin AA, Klos KS, Li P, Monia BP, Nguyen NT, Hortobagyi GN, Hung MC, Yu D: PTEN activation contributes to tumor inhibition by trastuzumab, and loss of PTEN predicts trastuzumab resistance in patients. *Cancer Cell*. 2004, 6: 117-127.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15324695]

6. Narayanan K, Jaramillo A, Benschhoff ND, Campbell LG, Fleming TP, Dietz JR, Mohanakumar T: Response of established human breast tumors to vaccination with mammaglobin-A cDNA. *J Natl Cancer Inst*. 2004, 96: 1388-1396. [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15367572]

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15367572]